

FACILITIES MANAGEMENT FACILITIES DESIGN GUIDELINES 2004 University of Virginia

INDEX

Bold lettering is category section reference with page number within the category.

- Abusive and offensive language,
 - construction policy, **GR.8.1.1**, p. 25
- Academical Village
 - Curator and Architect for the, **GR.3.9**, p. 12
 - definition, **GR.1.2.1**, p. 4
 - Figure GR-3**
- Access, building systems and equipment,
 - GR.5.6**, p. 20
- Accessibility
 - automatic door operators, **GR.2.1**, p. 6,
 - BE.20.4.1**, p. 9
 - elevators, **BSRV.10.1**, p. 13
 - Facilities Management Accessibility Manager,
 - BE.20.4.1**, p. 9
 - laboratories, teaching, and research,
 - GR.2.1**, p.7
 - platform lifts, **GR.2.1**, p. 7
 - specific requirements, **GR.2.1**, p.6
 - uniform design, **GR.2.1**, p. 7
 - waivers from University reqmts., **GR.2.2**, p. 7
- Accessories, toilet and bath, **INT.10.3.3**, p. 7
- Acoustical ceiling tile
 - access panels, **BSRV.30.2.2**, p. 24
 - suspended, **INT.30.3.2**, p. 12
- Aesthetic concerns, mechanical and electrical equipment, **BSRV.1.4**, p. 7
- Air conditioning
 - controls, **BSRV.30.5.4**, p. 31
 - Materials and equipment, **BSRV.30.5.3**, p. 30
 - refrigeration, **BSRV.30.5.2**, p.30
 - sources, **BSRV.30.5.1**, p. 29
- Application of Guidelines, **GR.1.1**, p.4
- Arboretum and Landscape Committee,
 - GR.3.3**, p. 9, **GR.3.15**, p. 14
- Archaeological concerns, **HP.2**, p. 3
- Architect, and Curator, for the Academical Village,
 - GR.3.9**, p. 12
- Architect for the University, **GR.3.6**, p. 11
 - GR.3.7**, p. 11, **GR.3.8**, p. 12;
 - site work, **SW.1.1**, p. 3
- Architect/Engineer, definition, **GR.1.2.2** p. 5
 - design standards and requirements, **GR.4**, p. 16
 - drawings and specifications, **GR.4.2**, p. 16
 - predesign conference, **GR.4.1**, p.16
 - progress meetings, **GR.10.7**, p. 30
 - responsibility, **GR.7.1**, p. 24
- Art and Architecture Review Board, **GR.3.8**, p. 12
- Ash urn receptacles, **SW.20.10**, p. 13
- Automatic door openers, **GR.2.1**, p. 6;
 - BE.20.4.1**, p. 9
- Base map, control datum, **GR.1.3**, p. 5
- Base, resilient, **INT.30.2.6**, p. 11
- Bath and toilet accessories, **INT.10.3.3**, p. 7
- Bearing connections, **BE.10.3**, p. 5
- Benches, **SW.20.9**, p. 13
- Beneficial occupancy, **GR.11.8**, p. 37
- Bicycle racks, **SW.20.7**, p. 12
- Bidding requirements and procedures, **GR.9**, p. 27
 - construction documents, **GR.9.1**, p. 27
 - owner furnished products, **GR.9.2**, p. 27
 - elevator telephone, **BSRV.10.1**, p. 13
 - emergency telephone, **SW.20.8**, p. 13
 - fire extinguishers, **INT.10.3.1** p. 7
 - metal bollard 1, **SW.20.12.1**, p. 14
 - trash receptacles, **SW.20.10**, p. 13
 - separate contracts, **GR.9.2**, p. 27
- Billing instructions, construction, **GR.10.8**, p.31
- Blasting, prohibition of, **GR.10.10**, p. 32
- Board of Visitors, **GR.3.11**, p. 13
 - Vision Statement, **GR.3.11**, p. 13
 - warranties and guarantees, **GR.11.7**, p. 37
- Bollards, **SW.20.12**, p. 14, **Figures SW-8, -9, -10**
- Brick
 - existing, **BE.20.1.4**, p. 6
 - mock-up panels, **BE.20.1.2**, p. 6
 - mortar, **BE.20.1.8**, p. 7
 - selection, **BE.20.1.2**, p. 6
 - types used, **BE.20.1.3**, p. 6
- Builder's risk insurance, **GR.8.1.5**, p. 26
- Building automation system, specifications
- Concrete

Division 17, **BSRV.60.1.3**, p. 51-53
Building Committee, **GR.3.12**, p. 13
Building commissioning, **BSRV.1.11**, p. 9
Building drainage, **SW.30.1.2**, p.15
Building envelope
 exterior enclosure, **BE.20**, p. 5
 exterior walls, **BE.20.1**, p. 5
 general information, **BE.1**, p. 3
 superstructure, **BE.10**, p. 5
Building equipment, rotating, **BSRV.1.8**, p. 8
Building heights, related to Rotunda, **GR.6.1**, p. 23
 general limitation, **GR.6.1**, p. 23
Building materials, exterior, **GR.6.2**, p. 24
Building official, **GR.3.5**, p. 10
Building permits, **GR.3.19**, p. 15
Building services, introduction, **BSRV.1.1**, p. 5
Building systems accessibility, **GR.5.6**, p. 20
Building system outages, **GR.10.11**, p. 32

Cable Television, **BSRV.50.3.2**, p. 44
Capital Outlay requirements, **GR.3.2**, p. 8
 Construction & Professional Services Manual
 Higher Education Capital Outlay Manual
Carbon dioxide sensors, **BSRV.30.1.1**, p. 19
Cardreader requirements, **GR.5.3**, p. 18
 GR.5.5, p. 19
Carpet, **INT.30.2.7**, p. 11
Ceiling finishes, **INT.30.3**, p. 12
Central Grounds Area, **GR.1.2.1**, p. 4
 Figure GR-1
Ceramic tile, **INT.30.2.2**, p. 10
Chalkboards, **INT.10.3.6**, p. 8
Chief Facilities Officer, **GR.1.1**, p. 4
Change orders, construction, **GR.10.18**, p. 34
Chilled water pump control,
 Figure BSRV.30-1, **Figure BSRV.30-2**
Cladding/siding, limitations, **BE.20.11**, p. 7
Classrooms
 coats and hats, **INT.10.3.7**, p. 8-9
 doors, **INT.10.2.1**, p. 5
Clerestory windows, **BE.40.3**, p. 17
Close-out, **BSRV.1.13**, p. 12
Closers, door, **INT.10.2.3**, p. 6
Coats and hats, **INT.10.3.7**, p. 9
Coat closet, **INT.10.3.7**, p. 8
Codes and regulations, **GR.3.1**, p. 7
Commissioning, mechanical, electrical, plumbing,
 And fire safety, **BSRV.1.11**, p. 9

Contracts, separate construction, **GR.9.2**, p. 27
Corner guards, **INT.10.3.5**, p. 8

anchor bolts, **BE.2.7**, p.4
architectural, **BE.2.4**, p. 4
fiber reinforced, **BE.2.2**, p. 3
floor finishes, **INT.30.2.1**, p. 10
general, **BE.2.1**, p. 3
penetrations and openings, **BE.2.6**, p. 4
plasticizer admixture, **BE.2.3**, p. 3
post tensioned structural, **BE.2.5**, p. 4
slab on grade, **BE.2.8**, p. 4
Conflict of interest, construction policies,
 GR.8.1.6, p. 26
Construction
 barriers, **GR.10.2**, p. 28
 beneficial occupancy, **GR.11.8**, p. 37
 billing instructions, **GR.10.8**, p. 31
 blasting prohibited, **GR.10.10**, p. 32
 change orders, **GR.10.18**, p. 34
 documents, **GR.9.1**, p. 27, **GR.10.1**, p. 28
 fencing, **GR.10.2**, p. 28, **SW.1.3**, p. 4
 Figure SW-13
 final cleaning, **GR.11.1**, p. 34
 final inspection, **GR.11.8**, p. 37-38
 materials & equipment on site, **GR.10.14**, p. 33
 policies, **GR.8**, p. 25
 preconstruction meeting, **GR.10.5**, p. 29
 pre-installation conferences, **GR.10.16**, p. 33
 preventative maintenance system, **GR.11.6**, p. 37
 procedures, **GR.10.3**, p. 29
 progressive cleaning, **GR.10.17**, p. 34
 progress meetings, **GR.10.7**, p. 30
 project close-out requirements, **GR.11**, p. 34
 operations and maintenance manuals,
 GR.11.4, p. 35
 record document keeping, **GR.10.19**, p. 34
 requests for information (RFI), **GR.10.4**, p. 29
 requirements and procedures, **GR.10**, p. 28
 GR.10.3, p. 29
 scheduling and constraints, **GR.7**, p. 24
 site restoration, **GR.11.2**, p. 35
 spare parts and maintenance materials,
 GR.11.5, p. 37
 staging and parking, **GR.7.1**, p. 25
 submittals, **GR.10.6**, p. 30
 testing and laboratory services, **GR.10.15**, p. 33
 warranties and guarantees, **GR.11.7**, p. 37
 scheduling and constraints, **GR.7.1**, p. 24
 work hours, **GR.7.1**, p. 24
Construction Administration Manager, definition,
 GR.1.2.3, p. 5, roles, **GR.10.5**, p. 29

Downspouts, **BE.30.3**, p. 15
Drawings

Crime prevention, **GR.5.5**, p. 19
 Cross-rails, interior glazing, **INT.10.1.4**, p. 4
 Cooling coil condensate, **BSRV.30.6**, p. 31
 Crosswalks at road intersections, **SW.20.4**, p. 10
 Cubicle curtains, **INT.10.3.8**, p. 9
 Curator and Architect for the Academical Village,
 GR.3.9, p. 12
 Curbs, **SW.20.4**, p. 10
 Curtains, cubicle, **INT.10.3.8**, p. 9
 Custodial rooms
 space requirements, **GR.5.8**, p. 22
 building services equipment, **BSRV.1.9**, p. 9

Definitions, University terminology, **GR.1.2**, p. 4
 Demolition, required documentation, **GR.4.2**, p. 16
 Desiccant-coated heat recovery devices,
 BSRV.30.1, p. 18
 Design standards and requirements, **GR.4**, p. 16
 predesign conference, **GR.4.1**, p. 16
 Documents
 base map, control datum, **GR.1.3**, p. 5
 project record, **GR.11.3**, p. 35
 record, **GR.10.19**, p. 34
 requirements, **GR.1.3**, p. 5
 site design, **SW.1.2**, p. 3
 Door hardware
 automatic, entrances, **GR.2.1**, p. 6;
 BE.20.4.1, p. 9
 closers, **INT.10.2.3**, p. 6
 hinges, **INT.10.2.5**, p. 6
 kickplates, **INT.10.2.6**, p. 6
 lever-handled, **GR.2.1**, p. 6
 locksets, **INT.10.2.2**, p. 5
 stops, **INT.10.2.4**, p. 6
 Door numbering, **GR.5.2**, p. 18
 Doors and frames, exterior metal, **BE.20.4.2**, p. 10
 exterior wood, **BE.20.4.3**, p. 10
 Doors
 automatic doors, **BE.20.4.1**, p. 9
 exterior, **BE.20.4**, p. 9
 interior, general, **INT.10.2.1**, p. 5
 limitations, **INT.10.2.1**, p. 5
 metal doors and frames, **BE.20.4.2**, p. 10
 minimum door size, exterior, **BE.20.4.1**, p. 9,
 interior, **INT.10.2.1**, p. 5
 plastic laminate, exterior prohibition, **BE.20.4.1**,
 p. 10
 wood doors, **BE.20.4.3**, p. 9

Elevators, continued
 telephone requirements, **BSRV.10.1**, p. 13
 sump pits, sump, **BSRV.10.2.1**, p. 13

AutoCAD version, **GR.1.3**, p.5
 for demolition or renovation, **GR.4.2**, p. 16
 Drawings and specifications
 demolition, **GR.4.2**, p. 16
 record documents, **GR.10.19**, p. 34;
 GR.11.3, p. 35
 Drug use and alcohol, construction policies,
 GR.8.1.3, p. 26
 Dumbwaiters, limited use, **BSRV.10.3.1**, p. 14
 Dust barriers and control, **GR.7.2**, p. 25
 GR.10.2, p. 28
 Dumpster pads, **SW.20.13**, p. 15

Earth pressure, lateral loads, **BE.10.1**, p. 5
 Earthwork, backfill, **SW.10.3**, p. 5
 fill, **SW.10.3**, p. 5
 topsoil, **SW.10.3**, p. 5
 Electrical
 building interior systems, **BSRV.50.2**, p. 38
 conduits and wiring, **BSRV.50.2.5**, p. 40
 devices, **BSRV.50.2.6**, p. 41
 lighting, **BSRV.50.2.7**, p. 41
 metering, **BSRV.50.2.4**, p. 40
 motors and starters, **BSRV.50.2.9**, p. 43
 panels, transformers, and switchgear,
 BSRV.50.2.3, p. 39
 panelboard schedule, **Figure BSRV.50-1**
 service and distribution, **BSRV.50.1**, p. 35
 ductbanks, **BSRV.50.1.3.3**, p. 38
 manholes, **BSRV.50.1.3.4**, p. 39
 power, **BSRV.50.1.1**, p. 36
 primary cable, **BSRV.50.1.3.1**, p. 38
 terminations, **BSRV.50.1.3.2**, p. 38
 transformers and primary switches,
 BSRV.50.1.2, p. 37****
 site systems, **SW.40**, p. 17
 vibration and sound isolation, **BSRV.1.8** p. 8
 Electronic monitoring and controls, general
 requirements, **BSRV.60.1**, p. 50
 Electronic monitoring and controls, bidding
 procedures, **BSRV.60.1.2**, p. 51
 Electronic monitoring and controls, Division
 17 specifications, **BSRV.60.1.3**, p. 52-54
 Elevator
 accessibility, **BSRV.10.1**, p. 13
 control systems, **BSRV.10.2.2**, p. 14
 diagnostic requirements, **BSRV.10.2.3**, p. 14
 door height, **BSRV.10.2**, p. 13
 machine rooms and pits, **BSRV.10.2.1**, p. 13
 Pits, **BSRV.10.2.1**, p.13
 Fire protection
 application, **BSRV.40.2.1**, p. 30
 detection and suppression, **GR.5.4**, p. 18

Warranty service requirements, **BSRV.10.2.4**, p. 14

Emergency telephones, see Telephones

Elevator, **BSRV.10.1**, p. 13

Energy conservation, **BSRV.1.1**, p. 5;
BSRV.30.1.1, p. 18; **BSRV.30.4.3**, p. 27;
BSRV.50.2.7, p. 41-42; **BSRV.50.2.9**, p. 43

Environmental Health and Safety, **GR.3.18**, p. 15;
BE.20.2.3, p. 8; **BSRV.1.5**, p. 7
dust control, **GR.7.2**, p. 25
underground tanks, **SW.1.5**, p. 4

Equipment identification, **BSRV.1.5**, p. 7

Excavation permits, **GR.10.9**, p. 31

Exhaust ventilation requirements, **BSRV.30.4.4**, p. 28

Exposed aggregate, concrete, **BE.2.1**, p. 3

Exterior painting, **BE.20.2**, p. 8
color standards, **BE.20.2.1**, p. 8
lead based paint removal, **BE.20.3**, p. 9
paint removal, **BE.20.2**, p. 8

Exterior doors, **BE.20.4**, p. 9

Exterior steps, **SW.20.6**, p. 12
handrail requirements, **SW.20.6**, p. 12
lighting of, **SW.20.2.1**, p. 8, **SW.20.2.2**, p. 9

Exterior walls, **BE.20.1**, p. 5
brick selection, **BE.20.1.2**, p. 6
brick types, **BE.20.1.3**, p. 6
cladding and siding, **BE.20.1.11**, p. 7
existing brick, **BE.20.1.4**, p. 6
flashing, **BE.20.1.12**, p. 8
general, **BE.20.1.1**, p. 5
masonry accessories, **BE.20.1.10**, p. 7
masonry thresholds, **BE.20.1.7**, p. 7
metal stud prohibition, **BE.20.1.1**, p. 5
portland cement plaster, **BE.20.1.14**, p. 8
sealants, caulking and seals, **BE.20.1.13**, p. 8
veneer masonry, **BE.20.1.6**, p. 7
water repellent coatings, **BE.20.1.9**, p. 7

Exterior windows, **BE.20.3**, p. 9
glazing/storm sash, **BE.20.3.2**, p. 9

Facilities Management, **GR.3.5**, p. 11, **GR.3.13**, p. 13

Facilities Management Accessibility Manager, **BE.20.4.1**, p. 9

Final cleaning during construction, **GR.11.1**, p. 34

Final inspection, **GR.11.8**, p. 37

Fence, construction, **SW.1.3**, p. 4; **Figure SW-13**

Fire extinguisher..., **INT.10.3.1**, p. 7;
BSRV.40.2.4, p. 34

HVAC, continued
control air, **BSRV.30.1.7**, p. 22
constant air volume, limited, **BSRV.30.1**, p. 18
controls, **BSRV.30.3.3**, p. 26
during construction, **BSRV.40.3**, p. 31
sprinklers, **BSRV.40.2**, p. 30
standpipes and fire valve cabinets,
BSRV.40.2.3, p. 30
systems, **BSRV.40**, p. 30

Fire safety review, **GR.3.4**, p. 10

Flashing, **BE.20.1.12**, p. 8; **BE.30.4**, p. 15;

Floor and roof construction, vibration, magnetic or electrical sensitivity, **BE.10.2**, p. 5

Floor construction, vibration sensitivity, **BE.10.2**, p. 5

Floor finishes, **INT.30.2**, p. 10

Fume hoods, **BSRV.1.6**, p. 8, **BSRV.30.4.5**, p. 28

Functional space planning requirements, **GR.5**, p. 17

Gases, piping, **BSRV.20.5.1**, p. 17

General Requirements, **GR**
application of, **GR.1.1**, p. 4
waivers of, **GR.1.1**, p. 4

Geotechnical design, **BE.10.1**, p. 35

Grounds, University of Virginia
definition, **GR.1.2.1**, p. 4

Glazing
exterior, **BE.20.3**, p. 9
interior partitions, **INT.10.1.4**, p. 4
storm sash, **BE.20.3.2**, p. 9

Guards, wall and corner, **INT.10.3.5**, p. 8

Guardrail, traditional, **Figure SW-11**

Gutters, **BE.30.3**, p. 15
built-in, **BE.30.3**, p. 16

Gypsum board, **INT.30.1.1**, p. 9

Handrails, exterior, **SW.20.6**, p. 12
Figure SW-11, **Figure SW-12**

Hardwood flooring, **INT.30.2.4**, p. 11

Hazardous materials, **BSRV.1.6**, p. 8

Health System, University of Virginia
definition, **GR.1.2.1**, p. 4
Figure GR-1

Health System Physical Plant, **BE.30.2.1.1**, p. 11; **BSRV.1.2**, p. 5; **BSRV.1.11.1-3**, p. 9

Heating, Ventilation & Air Conditioning (HVAC)
carbon dioxide, **BSRV.30.1**, p. 19,
chemical treatment, **BSRV.30.1.2**, p. 20
chilled water pump, control,
Figure BSRV.30-1, following p. 30
Figure BSRV.30-2, following p. 30

Historic Grounds, **GR.1.2.1**, p. 4, **Figure GR-2**
door frames, **BE.20.4.3**, p. 10

Historic preservation, **HP**
historic building names, **HP.1**, p. 2

DDC, **BSRV.30.1**, p. 18
desiccant heat recovery devices,
BSRV.30.1.1, p. 18
design parameters, **BSRV.30.1.1**, p. 18-20
distribution, **BSRV.30.1.3**, p. 20
energy conservation, **BSRV.30.1**, p. 18
equipment, **BSRV.30.2.3**, p. 24
fan coil units, **BSRV.30.2.1**, p. 23
filters, **BSRV.30.2.1**, p. 23, **BSRV.30.1**, p. 18
freeze protection, required, **BSRV.30.1.1**, p. 20
gauges, indicators, and thermostats,
BSRV.30.1.5, p. 21
general, **BSRV.30.1**, p. 18-20
heating sources, **BSRV.30.3.1**, p. 24
humidification, **BSRV.30.1**, p. 18
isolation valves, **BSRV.30.1.3**, p. 20
materials, **BSRV.30.3.2**, p. 25
mechanical rooms, **BSRV.30.2**, p. 22
outside air intakes, **GR.5.5**, p. 19
perimeter heat, **BSRV.30.1**, p. 19
plans and specifications, requirements,
BSRV.30.1.8, p. 22
pneumatic actuators, **BSRV.30.1**, p. 18
preventative maintenance, **GR.11.6**, p. 36
steam tunnels, **BSRV.30.1.6**, p. 21
testing and balancing, **BSRV.30.1.4**, p. 20
thermafusers, prohibited, **BSRV.30.1**, p. 19
HVAC, air conditioning, **BSRV.30.5**, p. 29
controls, **BSRV.30.5.4**, p. 31
cooling coil condensate, **BSRV.30.6**, p. 31
materials & equipment, **BSRV.30.5.3**, p. 30-31
peak cooling load, **BSRV.30.1.1**, p. 18
refrigeration systems, **BSRV.30.5.2**, p. 30
sources, **BSRV.30.5.1**, p. 29
HVAC, heating
building distribution, **BSRV.30.3.4**, p. 26
controls, **BSRV.30.3.3**, p. 26
duct reheat coils, **BSRV.30.3.2**, p. 25
heat recovery, **BSRV.30.1**, p. 18
sources, **BSRV.30.3.1**, p. 24
steam condensate, **BSRV.30.3.1**, p. 24
HVAC, ventilation
controls, **BSRV.30.4.3**, p. 27
fume hoods, **BSRV.30.4.5**, p. 28
general exhaust, **BSRV.30.4.4**, p. 27
materials, **BSRV.30.4.2**, p. 26
minimum exhaust, **BSRV.30.4.4**, p. 28
sources, **BSRV.30.4.1**, p. 26
Kickplates, doors, **INT.10.2.6**, p. 6
Landscape Architect, University, **GR.3.7**, p. 11
Lead paint removal, **BE.20.2.3**, p. 9
Life, research, and facilities fire protection
historic building numbers, **HP.1**, p. 2
Historic Resources, Virginia Department of,
GR.3.10, p. 12
Hinges, door, **INT.10.2.5**, p. 6
Hose bibbs, requirements, **BSRV.20.3**, p. 17
Hydronic piping, **BSRV.1.2**, p. 6
Information Technology and Communications
(ITC) **GR.3.17**, p. 15; **GR.5.7**, p. 21;
BSRV.50.3.1, p.43
Interim Life Safety Measures, **GR.7.1**, p. 24
Interior construction, **INT.10**, p. 3
Interior finishes, **INT.30**, p. 9
acoustical ceiling tile, **INT.30.3.2**, p. 12
carpet, **INT.30.2.7**, p. 11
ceramic tile, **INT.30.2.2**, p. 10
concrete floors, **INT.30.2.1**, p. 10
glazing, **INT.10.1.4**, p. 4
gypsum board, **INT.30.1.1**, p. 9
hardwood flooring, **INT.30.2.4**, p. 11
paint selection and color, **INT.30.1.2**, p. 10
resilient base, **INT.30.2.6**, p. 11
resilient flooring, **INT.30.2.5**, p. 11
wall coverings, **INT.30.1.3**, p. 10
Interiors,
design criteria, **INT.1.1**, p. 3
finish criteria, **INT.1.2**, p. 3
partitions, **INT.10.1**, p. 3
Interior specialties, **INT.10.3**, p.6
cubicle curtains, **INT.10.3.8**, p. 9
fire extinguisher and cabinets, **INT.10.3.1**, p. 7
mirrors, **INT.10.3.3.2**, p. 7
sanitary napkins, **INT.10.3.3.5**, p. 8
signage **INT.10.3.2**, p. 7
soap dispensers, **INT.10.3.3.1**, p. 7
toilet and bath accessories, **INT.10.3.3**, p. 7
toilet partitions, **INT.10.3.4**, p. 8
toilet tissue dispensers, **INT.10.3.3.4**, p. 8
wall and corner guards, **INT.10.3.5**, p. 8
wardrobes, **INT.10.3.7**, p. 8
waste receptacles, **INT.10.3.3.3**, p. 7
Irrigation systems, **BSRV.20.1.2**, p. 15
JCAHO, Joint Commission for Accreditation of
Healthcare Organizations, **GR.7.1**, p. 24
Jeffersonian Restoration Design Committee,
GR.3.9, p. 12
Metal studs, exterior wall, **BE.20.1.1**, p. 5
interior wall, **INT.10.1.1**, p. 3
Metering, utilities, **BSRV.1.3**, p. 6
Meters, water, **BSRV.20.1.2**, p. 15
Mirrors, **INT.10.3.3.2**, p. 7

GR.5.4, p. 19
Life Safety Code NFPA 101, **GR.3.1**, p. 8
Lighting requirements
 lighted pathways, **SW.20.2.1**, p. 8
 photometric data for site, **SW.20.2.1**, p. 8
 natural light, **BSRV.50.2.7**, p. 41
 Observatory Sensitive Zone, **SW.20.2.1**, p. 8
 sensors, **BSRV.50.2.7**, p. 41
 telecommunications rooms/closets, **GR.5.7**, p. 21
Lockers, **INT.10.3.7**, p. 8
Locks, combination, **INT.10.2.2**, p. 5
Locksets, **INT.10.2.2**, p. 5
 cylinders and cores, **INT.10.2.2**, p. 5
 keying, **INT.10.2.2**, p. 5

“Make-Buy” construction, **GR.10.3**, p.29
Major University Area, **GR.1.2.1**, p. 4,
 Figure GR.1

Manholes, **SW.30.2.2**, p. 16
 when required, **SW.30.2.2**, p. 16
Masonry

 accessories, **BE.20.1.10**, p. 7
 cut stone limitations, **BE.20.1.6**, p. 6
 metal stud prohibition, **BE.20.1.1**, p. 5
 mortar, **BE.20.1**, p. 7
 parapet walls, **BE.20.1.5**, p. 7
 thresholds, **BE.20.1.7**, p. 7
 vener, **BE.20.1.6**, p. 7
 water repellent coatings, **BE.20.1.9**, p. 7

Materials and equipment on site in construction
GR.10.14, p. 33

Materials for maintenance, **GR.11.5**, p. 37

Mechanical and electrical equipment...
BSRV.1.5, p. 7; **BSRV.1.7**, p. 8
 aesthetic concerns, **BSRV.1.4**, p. 7
 exterior sound pressure level, **BSRV.1.7**, p. 8
 vibration and sound control, **BSRV.1.8**, p. 8

Mechanical equipment,
 access to, **GR.5.6**, p. 20
 Exterior access, **BSRV.30.2.1**, p. 22
 identification, **BSRV.1.5**, p. 7
 Vibration and sound isolation, **BSRV.1.8**, p. 8

Mechanical rooms, **BSRV.30.2.1**, p. 22-23
 walls and floors, **BSRV.1.8**, p. 9

Mechanical systems, start-up, **BSRV.1.11.3**, p. 1-

Plaques, building dedication **GR.5.10**, p. 23
Plaster, Portland cement, **BE.20.1.14**, p. 8
Platform Lifts, **GR.2.1**, p. 7
Plumbing, **BSRV.20**, p. 15
 aerators, **BSRV.20.3**, p. 17
 cleanouts, **BSRV.20.4**, p. 17

Mortar, **BE.20.1.8**, p. 7
Motors and starters, **BSRV.50.2.9**, p. 43

Noise, Vibration and Dust, **GR.7.2**, p. 25
North Grounds, **Figure GR-1**
Noxious fumes, **GR.5.5**, p. 19

Observatory Sensitive Zone, **SW.20.2.1**, p. 8
Occupancy sensors, **BSRV.30.1.1**, p. 19;
 BSRV.30.4.3, p. 27; **BSRV.50.2.7**, p.41
Oil interceptors, **SW.1.6**, p. 4
On site, material and equipment, **GR.10.14**, p. 32
Operations and maintenance manuals/data,
 GR.11.4, p. 35
Outages, utility and building, **GR.10.11**, p. 32
Outside air intakes, **GR.5.5**, p. 19

Paint

 removal, **BE.20.2.2**, p. 8; **BE.20.2.3**, p. 9
 selection and color, **INT.30.1.2**, p. 10

Paint, lead-based removal, **BE.20.2.3**, p. 9
Painting, exterior color standards, **BE.20.2.1**, p. 8
 interior color selection, **INT.30.1.2**, p. 10

Parapet walls, **BE.20.1.5**, p. 7

Parking

 accessible van parking, **GR.2.1**, p. 6
 construction personnel, **GR.7.1**, p. 25

Partitions, **INT.10.1**, p. 3

 demountable, prohibition, **INT.10.1.1**, p. 4
 fire rated and firestopping, **INT.10.1.2**, p. 4
 folding accordion, prohibited, **INT.10.1.1**, p. 5
 glazing, **INT.10.1.4**, p. 4
 interior, limitations, **INT.10.1.1**, p. 3
 interior, moveable, **INT.10.1.3**, p. 4
 toilet, **INT.10.3.4**, p. 8

Partnering

 construction application, **GR.1.5**, p. 6

Pathways, lighted, **SW.20.2.1**, p. 8

Paving and curb, **SW.20.4**, p. 10-11

Photometric data for site lighting, **SW.20.2.1**, p. 8

Piping, identification, **BSRV.1.5**, p. 7

Plant protection in construction, **SW.10.2**, p. 5

Plant selection, **SW.20.1.1**, p. 6

Planting procedures, see Site planning

Review Unit, State delegated, **GR.3.5**, p. 10

Riser and tread design, **INT.20.1**, p. 9

Road intersections, crosswalks, **SW.20.4**, p. 10

Roof drainage, **BE.30.3**, p. 15; **SW.30.1.2**, p. 15

Roof

 hatches, **BE.40.2**, p. 17

domestic hot water, **BSRV.20.1.3**, p. 16
 domestic water, **BSRV.20.1.1**, p. 15
 domestic water metering, **BSRV.20.1.2**, p. 15
 exterior faucets, see hose bibs
 piping systems for gases, **BSRV.20.5.1**, p. 17
 pressure reducing valves, **BSRV.20.1.1**, p. 15
 sanitary waste systems, **BSRV.20.4**, p. 17
 shut-off valves, **BSRV.20.2**, p. 16
 special systems, **BSRV.20.5**, p. 17
 water distribution, **BSRV.20.3**, p. 16
 Police, University Department of
 general, **GR.3.16**, p.14
 cardreader requirements, **GR.5.3**, p. 18
 Portland cement plaster, **BE.20.1.14**, p.8
 Preconstruction meetings, **GR.10.5**, p. 29
 Predesign conference, **GR.4.1**, p. 16
 Preinstallation conferences, **GR.10.16**, p. 33
 Pressure reducing valves, **BSRV.20.1.1**, p. 15
 Preventative maintenance systems equipment
 list, **GR.11.6**, p. 37
 Professional Liability Insurance, **GR.1.4**, p.6
 Progress meetings for construction, **GR.10.7**, p. 29
 Project Advisory Group, **GR.3.14**, p. 14
 Project approval procedures, **Figure GR-4**
 Project closeout, construction, **GR.11**, p. 34
 Project Manager, definition, **GR.1.2.3**, p. 5
 roles, **GR.10.5**, p. 29
 Project record documents, **GR.10.19**, p. 34;
 GR.11.3, p. 35

 Quarry tile, **INT.30.2.3**, p. 11

 Railings, traditional, **Figures SW-11, SW-12**
 Record documents, **GR.10.19**, p. 34; **GR.11.3**, p. 35
 Request for Information form, **GR.10.4**, p. 29
 Recycling receptacles, **SW.20.11**, p. 14
 Recycling rooms and space, **GR.5.9**, p. 22
 Reglets, **BE.30.4**, p. 16
 Renovations,
 drawing requirements, **GR.4.2**, p.16
 Resilient base, **INT.30.2.6**, p. 11
 Resilient flooring, **INT.30.2.5**, p. 11
 Review Unit (State delegated), **GR.3.5**, p. 10
 Reviews and approvals, **GR.3.3**, p. 9
 Review submission requirements, **GR.3.5**, p. 11

 Sealants, caulking and seals, **BE.20.1.13**, p. 8
 Security and sources of noxious or toxic fumes,
 GR.5.5, p. 19 (outside air intake location)
 Security Systems, **BSRV.50.3.3**, p. 45
 Separate contracts, **GR.9.2**, p. 27
 Sexual harassment, construction policies,
 GR.8.1.2, p. 26
 specialties and accessories, **BE.30.4**, p. 16
 Roofing
 blocking and miscellaneous carpentry,
 BE.30.2.4, p. 14
 built-up, **BE.30.2.1.2**, p. 12
 clerestory windows, **BE.40.3**, p. 17
 drainage, **BE.30.3**, p. 15
 guttering and downspouts, **BE.30.3**, p. 15
 hybrid, **BE.30.3.1.3**, p. 12
 insulation, **BE.30.2.5**, p. 15
 low-slope, **BE.30.2.1**, p. 12
 membrane, **BE.30.2.1**, p. 12
 metal, **BE.30.2.2.2**, p. 13
 minimum manufacturer's warranty,
 BE.30.2, p. 11
 OSB or particleboard limitation,
 BE.30.2.4, p. 14
 policy, **BE.30.1**, p. 10
 reglets, **BE.30.4**, p. 16
 Roofing Project Manager, **BE.30.1**, p. 11;
 BE.30.2.5, p. 15
 shingles, limited use, **BE.30.2.2.3**, p. 14
 skylights, **BE.40.3**, p. 17
 slate shingles, **BE.30.2.2**, p. 13
 sleepers prohibited, **BE.40.1**, p. 17
 sloped, **BE.30.2.2**, p. 12
 steep-slope, **BE.30.2.2**, p. 12
 Systems, **BE.30.2**, p. 11
 unacceptable systems, **BE.30.2.3**, p. 14
 warranty, **BE.30.2**, p. 11
 Rooftop equipment, **BE.40.1**, p. 17
 Rooftop mounted equipment, **GR.5.6**, p. 20
 access by stairway, **GR.5.6**, p. 20
 approval requirement, **GR.5.6**, p. 20
 screening requirement, **GR.5.6**, p. 20
 traffic membrane or topping, **GR.5.6**, p. 20
 Room and door signage, **GR.5.2**, p. 18
 Room number assignment, **GR.5.2**, p. 18
 Rotunda, related building heights, **GR.6.1**, p. 23

 Sanitary
 cleanout locations, **BSRV.20.4**, p. 17
 waste system, **BSRV.20.4**, p. 17
 Sanitary napkins, **INT.10.3.3.5**, p. 8
 Scheduling and construction restraints,
 GR.7.1, p. 24
 Site work, continued
 building drainage, **SW.30.2**, p. 15
 crosswalks, **SW.20.4**, p. 10
 design document requirements, **SW.1.2**, p. 3
 dumpster pads, **SW.20.13**, p. 15
 earthwork, **SW.10.3**, p. 5
 general, **SW.1**, p.3

Sewer manholes, **SW.35.2**, p. 17
 Sewer piping, **SW.35.1**, p. 17
 Shut-off valves, **BSRV.1.2**, p. 6
 Sidewalks, **SW.20.5**, p.11
 brick, **SW.20.5.2**, p. 12; **Figure SW-5**
 concrete, **SW.20.5.1**, p. 11; **Figure SW-4**
 Sign, construction, **SW.20.3**, p. 10
 Signage, exterior, **SW.20.3**, p. 10
 Interior, **INT.10.3.2**, p. 7
 Site
 Clearing, **SW.10.4**, p. 6
 demolition, **SW.10.5**, p. 6
 design, outside air intake locations,
 GR.5.5, p. 19
 development, **SW.20**, p. 6
 drainage systems, **SW.30**, p. 15
 investigation, **GR.6.3**, p. 24
 Lighting, **SW.20.2**, p. 8
 cast iron light fixture, **Figure SW-1**
 numbering light fixtures, **SW.20.2.2**, p. 9
 Observatory Sensitive Zone, **SW.20.2.1**, p. 8;
 Figure SW-3
 outside steps, **SW.20.2.1**, p. 8, **SW.2.2.2**, p. 9
 record documents, **SW.20.2.2**, p. 10
 Shoe box light fixture, **Figure SW-2**
 Site electrical systems, **SW.40**, p. 18
 Site planning requirements, **GR.6**, p. 23
 Site planting, **SW.20.1**, p. 6
 planting procedures, **SW.20.1.3**, p. 7
 plant protection, **SW.10.2**, p. 5
 tree planting, **SW.20.1.2**, p. 7
 warranty period maintenance, **SW.20.1.5**, p. 7
 Site plumbing systems, **SW.35**, p. 17
 Exterior chilled water piping, **SW.35.3**, p. 18
 Exterior domestic water piping, **SW.35.3**, p. 18
 sewer manholes, **SW.35.2**, p. 17
 sewer piping, **SW.35.1**, p. 17
 Site preparation, mud and dirt control,
 SW.10.1, p. 5
 Site restoration, **GR.11.2**, p. 35
 Site signage, **SW.20.3**, p. 10
 construction sign, **SW.20.3**, p. 10
 Site work
 benches, **SW.20.9**, p. 13
 bollards, **SW.20.12**, p. 14
 Tanks, above or below grade, **SW.1.5**, p. 4
 Telecommunications, **BSRV.50.3.1**, p. 43
 fire treated plywood mounting, **GR.5.7**, p. 21
 in mechanical rooms, **BSRV.30.2.1**, p. 23
 Lighting requirements, **GR.5.7**, p. 21
 rooms/closets, location, **GR.5.7**, p. 21
 Telephones, elevator, **BSRV.10.1**, p. 13
 Telephones, emergency, **SW.20.8**, p. 13;
 mud and dirt control, **SW.10.1**, p. 5
 oil interceptors, **SW.1.6**, p. 4
 paving and curbs, **SW.20.4**, p. 10
 plant selection, **SW.20.1.1**, p. 6
 recycling receptacles, **SW.20.11**, p. 14
 sidewalks, **SW.20.5**, p. 11
 soil preparation, **SW.20.1.2**, p. 6
 storm sewer systems, see Storm sewer systems
 tree removal, **SW.10.5**, p. 6
 utility trench cuts in roadway, **SW.1.4**, p. 4
 Siting and relationship to contiguous sites,
 GR.6.1, p. 23
 Skylight
 minimum curb height, **BE.40.3**, p. 17
 structures, **BE.40.3**, p. 17
 Slopes, sidewalks, **Figures SW-4 and SW-5**
 Slopes, paved surfacing, **SW.20.4**, p. 9
 Smoke-free work place, construction policies,
 GR.8.1.4, p.26
 Snow guards, **BE.30.4**, p. 16
 Soap dispensers, **INT.10.3.3.1**, p. 7
 Soil treatment, **SW.10.6**, p. 6
 Sound pressure level requirements, **BSRV.1.7**, p. 8
 Space planning requirements, **GR.5**, p. 17
 Spare parts, **GR.11.5**, p. 37
 Special plumbing systems, **BSRV.30.5**, p. 17
 Stairways, **INT.20**, p. 9
 riser and tread construction, **INT.20.1**, p. 10
 Steam tunnels, **BSRV.30.1.6**, p. 21
 Steps, exterior, **SW.20.6**, p. 12
 Stops, door, **INT.10.2.4**, p. 6
 Storm sewer systems, **SW.30.2**, p. 15
 inlets and structures, **SW.30.2.3**, p. 16
 manholes, **SW.30.2.2**, p. 16
 piping and installation, **SW.30.2.1**, p. 15
 Submittals, construction **GR.10.6**, p. 30
 Superstructure, **BE.10** p. 5
 bearing connections, **BE.10.3**, p. 5
 floor and roof construction, **BE.10.2**, p. 5
 geotechnical design, earth pressure lateral loads,
 BE.10.1, p. 5
 Systems, start up and close-out, **BSRV.1.11.3**, p. 10

 Ventilation, **BSRV.30.4**, p. 26
 minimum exhaust, **BSRV.30.4.4**, p. 28
 fume hood, **BSRV.30.4.5**, p. 28
 Vibration and sound isolation,
 mechanical and electrical, **BSRV.1.8**, p.8
 minimizing in building types, **GR.7.2**, p. 25
 structural framing, **BE.10.1**, p. 5
 Virginia Department of Historic Resources,

Figure SW-7; University Safety and Security Committee, **SW.1.1**, p. 3
Temporary utilities, **GR.10.13**, p. 32
Testing and laboratory services, construction, **GR.10.15**, p. 33
Thermafusers, prohibited, **BSRV.30.1.1**, p. 19
Thresholds, masonry, **BE.20.1.7**, p. 7
Toilet
 and bath accessories, **INT.3.3**, p. 7
 partitions, **INT.10.3.4**, p. 8
 tissue dispensers, **INT.10.3.3.4**, p. 8
Toxic fumes, **GR.5.5**, p. 19
Trailers, custodial space, **GR.5.8.**, p. 22
Trash and ash urn receptacles, **SW.20.10**, p. 13
Tree planting, **SW.20.1.4**, p. 7
Tree removal, **SW.10.5**, p. 6
Trench cuts in roadway, **SW.1.4**, p. 4
Tunnels, see Utilities, tunnels

Underground tanks, **SW.1.5**, p. 4
University Department of Police, **GR.3.16**, p.14
University Landscape Architect, **GR.3.7**, p. 11;
 GR.3.15, p. 14
University policies for construction, **GR.8**, p. 25
University Safety and Security Committee,
 SW.1.1, p.3
University Systems Control Center,
 BSRV.60.1.1, p. 49
Utilities,
 Connections, **BSRV.1.2**, p. 5
 in tunnels, **BSRV.1.2**, p. 5
 metering, **BSRV.1.3**, p. 6
 removal or abandonment, **GR.10.12**, p. 32
 shut off valves, **BSRV.1.2**, p. 6
 temporary, **GR.10.13**, p. 32
 tree planting, **SW.20.1.4**, p. 7
 trench cuts in roadway, **SW.1.4**, p. 4
 tunnels, size and structure, **BSRV.1.2**, p. 5
Utility Outages, **GR.10.11**, p. 32

Valves, drain, **BSRV.20.3**, p. 16
 shut-off valves, utilities, **BSRV.1.2**, p. 6
Van parking, **GR.2.1**, p. 6

GR.3.10, p. 12
Vivariums, **GR.4.3**, p. 16

Waivers, from design guidelines, **GR.1.1**, p. 4
 from accessibility requirements, **GR.2.2**, p. 7
Wall and corner guards, **INT.10.3.5**, p. 8
Wall coverings, **INT.30.1.3**, p. 10
Wall finishes, **INT.30.1**, p. 9
Walls, exterior, **BE.20.1**, p. 5
 cladding/siding, **BE.20.1.11**, p. 7
 masonry veneer, **BE.20.1.6**, p. 7
 metal studs, **BE.20.1.1**, p. 5
 parapet, **BE.20.1.5**, p. 7
 water repellent coatings, **BE.20.1.9**, p. 7
Wardrobes, **INT.10.3.7**, p.8
Warranties and guarantees, **GR.11.7**, p. 37
 roofing, **BE.30.2**, p.11
Waste receptacles, **INT.10.3.3.3**, p. 7
Water
 supply and treatment, **BSRV.20.1.1**, p. 15
 distribution, **BSRV.20.3.4**, p. 16

 domestic metering, **BSRV.20.1.2**, p. 15
 domestic hot water, **BSRV.20.1.3**, p. 16
 exterior chilled water, **SW.35.3**, p. 18
 exterior domestic, **SW.35.3**, p. 18
 hose bibb spacing, **BSRV.20.3**, p. 17
 irrigation system metering, **BSRV.20.1.2**, p. 15
 materials, **BSRV.20.2**, p. 16
 meters, **BSRV.20.1.2**, p. 15
 piping materials, **SW.35.3**, p. 18
Weekend or after hours construction, **GR.7.1**, p. 24
Windows
 exterior, **BE.20.3**, p. 9
 general, **BE.20.3.1**, p. 9
 glazing/storm sash, **BE.20.3.2**, p. 9
Wood flooring, **INT.30.2.4**, p. 11